

Figure 2A




Figure 2B




Figure 2C




Figure 3A




Figure 3B




Figure 4A




Figure 4B




Figure 4C





Figure 5

Assay Combinations

Treatment:	no cytokine	IL-1	TNF-α	IFNγ	IL-1/TNF/IFNγ
Control					
AA861 NHGA	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5

Parameters




moderate increase

unchanged

moderate decrease

strong decrease

Figure 6



moderate decreasestrong decrease

Figure 7A




Figure 7B

Assay Combinations

Treatment:	no cytokine	IL-1	TNF-α	IFN _y	IL-1/TNF/IFNγ
Control *p55-Fc	建物的点对	国际区 区	四位的以此		
	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5

Parameters

strong increase

M moderate increase


unchanged

moderate decrease

strong decrease

Figure 7C

Assay Combinations



Parameters

FIGURE 8

Assay Combinations

Test agent:	no cytokine	IL-1	TNF-α	ΙΕΝγ	IL-1/TNF/IFNγ
Nonel Act-anti-p55	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5	1 2 3 4 5

Parameters




FIGURE 9





FIGURE 10A







FIGURE 11 A






Figure 12




Figure 13




Figure 14

